

FLAT

QUEEN BEE

Multi-purpose Wax/resin



QUEEN BEE is a perfectly balanced Wax/resin. One of our memorable products, despite the modifications and the improvements of the formulation during the years, it is still today one of our favourites.

Allround versatility for many supports, it provides an outstanding definition, a superb optical density, and an considerable resistance to scratches.

This is the best choice in order to satisfy many different applications with one single product.

TECHNICAL FEATURES

COLOR	Black
BACK COATING	Silicone base
IMAGE DARKNESS	2.20 ODR
INK MELTING POINT	72°±3°C
STORAGE CONDITIONS	12 Months / 5-35°C 20-80% Relative Humidity Rate
PRINTING SPEED	10 IPS
FILM THICKNESS	4.5 microns
TOTAL THICKNESS	7.5 microns



STANDARD

WRITE WR
WRITE M



PREMIUM

QUEEN BEE
WRITE WR+



EXCELLENT

WR E28

PRINTING FEATURES

DARKNESS




SCRATCH RESISTANCE



SHARPNESS




PRINT TEMPERATURE



PRINT SPEED













BARCODE 90°



QUEEN BEE

Multi-purpose Wax/resin

RECOMMENDED APPLICATIONS




				
LOGISTICS	PACKAGING	CHEMICAL	FOOD & BEVERAGE	HORTICULTURE
				
AUTOMOTIVE	MEDICAL	ELECTRONICAL	HEALTH AND BEAUTY	TEXTILE

RECOMMENDED SUBSTRATES



Glossy Paper
PP
PET

CHEMICALS RESISTANCE

	ALCOHOL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	GASOLINE	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	GASOLINE + OIL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

COMPLIANCES



ISEGA



T H E R M A L
 T R A N S F E R
 R I B B O N

E.U.R.O. Srl
 Via Pacinotti, 28
 30033 Noale (VE)

Tel. +39 041 3195211
 ttr@eurosr.com
www.eurosr.com

All information in the datasheet has been produced for the exclusive use of E.u.r.o. s.r.l. Any reproduction, even partial, is prohibited. The BEE trademark is registered. The measured values may slightly vary in a different environment. The information contained may change without notice or notification. The information presented here is a general guideline, for further information please contact our offices. All product certifications have been registered with the original codes of the raw material.